


## Age of student (1482)

### Notes

Output Created		24 Jan 08 22:39:34
Comments		
Input	Data	C:\Documents and Settings\Peter - Gana\Plocha\MC vyhodnotenie 2007\MC_2007_1482.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1482
Syntax		GRAPH /PIE=COUNT BY age /MISSING=REPORT.
Resources	Elapsed Time	0:00:00,02

### Age of students




## Age of student (1482)

**Notes**

Output Created	24 Jan 08 22:39:34	
Comments		
Input	Data	C:\Documents and Settings\Peter - Gana\Plocha\MC vyhodnotenie 2007\MC_2007_1482.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1482
Syntax	GRAPH /PIE=COUNT BY age /MISSING=REPORT.	
Resources	Elapsed Time	0:00:00,02

**Age of students**



**Frequencies**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Age * Gender	1457	98,3%	25	1,7%	1482	100,0%

### Notes

Output Created	02 Feb 08 21:31:41	
Comments		
Input	Data	C:\Documents and Settings\Peter - Gana\Plocha\MC vyhodnotenie 2007\MC_2007_1482.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1482
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=age /ORDER ANALYSIS .	
Resources	Total Values Allowed	18724
	Elapsed Time	0:00:00,03

### Statistics

Age

N	Valid	1476
	Missing	6

### Age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	12	2	,1	,1	,1
	13	2	,1	,1	,3
	14	11	,7	,7	1,0
	15	38	2,6	2,6	3,6
	16	232	15,7	15,7	19,3
	17	592	39,9	40,1	59,4
	18	438	29,6	29,7	89,1
	19	120	8,1	8,1	97,2
	20	12	,8	,8	98,0
	21	6	,4	,4	98,4
	22	5	,3	,3	98,8
	23	3	,2	,2	99,0
	24	1	,1	,1	99,1
	25	2	,1	,1	99,2
	26	2	,1	,1	99,3
	27	1	,1	,1	99,4
	28	1	,1	,1	99,5
	29	2	,1	,1	99,6
	30	1	,1	,1	99,7
	37	2	,1	,1	99,8
44	1	,1	,1	99,9	
48	1	,1	,1	99,9	
50	1	,1	,1	100,0	
	Total	1476	99,6	100,0	
Missing	0	5	,3		
	System	1	,1		
	Total	6	,4		
Total		1482	100,0		

# Crosstabs

## Notes

Output Created		03 Feb 08 16:30:03
Comments		
Input	Data	C:\Documents and Settings\Peter - Gana\Plocha\MC vyhodnotenie 2007\MC_2007_1482.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1482
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=age BY gender /FORMAT= AVALUE TABLES /CELLS= COUNT .
Resources	Dimensions Requested	2
	Cells Available	14563
	Elapsed Time	0:00:00,09

### Age \* Gender Crosstabulation

Count

		Gender		Total
		F	M	
Age	12		2	2
	13	1	1	2
	14	5	6	11
	15	12	26	38
	16	74	154	228
	17	174	412	586
	18	143	291	434
	19	29	88	117
	20	5	7	12
	21	5	1	6
	22		5	5
	23	1	2	3
	24	1		1
	25	1	1	2
	26		2	2
	27		1	1
	28		1	1
	29	1		1
	37	1	1	2
	44		1	1
	48		1	1
	50		1	1
Total		453	1004	1457

### Frequencies

#### Notes

Output Created	06 Feb 08 22:04:18	
Comments		
Input	Data	C:\Documents and Settings\Peter - Gana\Plocha\MC vyhodnotenie 2007\Subor data 2007\MC_2007_1482.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1482
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=gender /ORDER ANALYSIS .	
Resources	Total Values Allowed	18724
	Elapsed Time	0:00:00,02

## Statistics

Gender

N	Valid	1462
	Missing	20

## Gender

		Frequency	Percent
Valid	F	456	30,8
	M	1006	67,9
	Total	1462	98,7
Missing	0	20	1,3
Total		1482	100,0

## Frequencies

### Notes

Output Created	07 Feb 08 09:33:39	
Comments		
Input	Data	C:\Documents and Settings\Peter - Gana\Plocha\Work schoop\MC_2007_1482 upr.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1482
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax	FREQUENCIES VARIABLES=age /ORDER ANALYSIS .	
Resources	Total Values Allowed	18724
	Elapsed Time	0:00:00,31

## Statistics

Age

N	Valid	1476
	Missing	6

### Age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	12	2	,1	,1	,1
	13	2	,1	,1	,3
	14	11	,7	,7	1,0
	15	38	2,6	2,6	3,6
	16	232	15,7	15,7	19,3
	17	592	39,9	40,1	59,4
	18	438	29,6	29,7	89,1
	19	120	8,1	8,1	97,2
	20	12	,8	,8	98,0
	21	6	,4	,4	98,4
	22	5	,3	,3	98,8
	23	3	,2	,2	99,0
	24	1	,1	,1	99,1
	25	2	,1	,1	99,2
	26	2	,1	,1	99,3
	27	1	,1	,1	99,4
	28	1	,1	,1	99,5
	29	2	,1	,1	99,6
	30	1	,1	,1	99,7
	37	2	,1	,1	99,8
44	1	,1	,1	99,9	
48	1	,1	,1	99,9	
50	1	,1	,1	100,0	
	Total	1476	99,6	100,0	
Missing	0	5	,3		
	System	1	,1		
	Total	6	,4		
	Total	1482	100,0		

### Crosstabs

### Notes

Output Created	07 Feb 08 09:38:46	
Comments		
Input	Data	C:\Documents and Settings\Peter - Gana\Plocha\Work schoop\MC_2007_1482 upr.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1482
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax	CROSSTABS /TABLES=cntr BY mc /FORMAT= AVALUE TABLES /CELLS= COUNT .	
Resources	Dimensions Requested	2
	Cells Available	14563
	Elapsed Time	0:00:00,02

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Country * How did you like the particle physics masterclass you attended today ?	1482	100,0%	0	,0%	1482	100,0%

### Country \* How did you like the particle physics masterclass you attended today ? Crosstabulation

Count

		How did you like the particle physics masterclass you attended today ?					Total	
		0	1	2	3	4		5
Country	SVK	7	97	55	17	4	1	181
	WORLD	29	487	577	167	34	7	1301
Total		36	584	632	184	38	8	1482